

High-Power LPDA Antenna

400 - 6000 MHz

Product Code: LPDA-A0121

VERSION: 1.5




Figure 1: LPDA-A0121-01

PRODUCT FEATURES:

- · Wideband frequency 400 to 6000 MHz
- VSWR < 2.0:1
- High gain: 8 dBi
- Rugged construction
- Ice resistant

PRODUCT APPLICATIONS:

- Wideband
- High-Power

RELATED PRODUCTS:

 BRKT-A049 – Polarisation bracket Can be used with LPDA-A0121-03, sold separately

SPECIFICATIONS:

Product Codes:	
LPDA-A0121	Stand-off mount
LPDA-A0121-01	60mm Mast mount
LPDA-A0121-02	Flange mount
LPDA-A0121-03	Mast mount with vertical and
	horizontal polarisation mount
Electrical:	
Frequency range	400 – 6000 MHz
VSWR	< 2.0:1
Nominal input impedance	50 Ω
Connector	N-type female
Feed power handling	See graph below
Gain (typical)	8 dBi
E-plane 3 dB beamwidth	50°
H-plane 3 dB beamwidth	60°
Polarisation	Linear
Front-to-back ratio	≥ 15 dB
Mechanical:	
Dimensions (w x I)	450 mm x 770 mm (incl. bracket)
Material	Aluminium, stainless steel,
	fibreglass
Total mass	3.7 kg (incl. mounting bracket)
Mounting method:	
LPDA-A0121	4 x M8 Bolts
LPDA-A0121-01	Mast mount (60mm)
LPDA-A0121-02	Flange mount
LPDA-A0121-03	Mast mount (Vertical or Horizontal)
MTBF	500,000 h
Environmental: designed t	o meet the following specifications
Wind survival	<u> </u>
LPDA-A0121	160 km/h calculated
LPDA-A0121-01	160 km/h calculated
LPDA-A0121-02	240 km/h calculated
LPDA-A0121-03	160 km/h calculated
Operating Temperature	-30°C to +65° (no icing)
Storage Temperature	-40°C to +85°
Corrosion	Designed for MIL-STD-810F MIL- 1250A

PRODUCT DESCRIPTION:


The LPDA-A0121 directional log-periodic dipole array (LPDA) is primarily designed for high-power applications. It covers a frequency band of 400 to 6000 MHz with a gain of greater than 8 dBi.



AUTHORIZED USA

DISTRIBUTION BY:

Cyntony Corporation 195 Follen Road Lexington, Massachusetts sales@cyntony.com 781-430-0675 cyntony customer attuned




High-Power LPDA Antenna

400 - 6000 MHz


Product Code: LPDA-A0121 VERSION: 1.5

VSWR AND GAIN GRAPHS:


Typical VSWR:



GAIN:



POWER HANDLING:






AUTHORIZED USA
DISTRIBUTION BY:

Cyntony Corporation
195 Follen Road
Lexington, Massachusetts
sales@cyntony.com
781-430-0675

CYNTONY

customer attuned





High-Power LPDA Antenna

<u>400 – 6000 MHz</u>

Product Code: LPDA-A0121 VERSION: 1.5

RADIATION PATTERNS:





AUTHORIZED USA

DISTRIBUTION BY:

Cyntony Corporation 195 Follen Road Lexington, Massachusetts sales@cyntony.com 781-430-0675



