

# Very High-Power LPDA


VERSION: 1.4

500 – 1000 MHz

Product Code: LPDA-A0103

## SPECIFICATIONS:

<b>Electrical:</b>	
Frequency range	500 – 1000 MHz
VSWR	< 2:1
Nominal input impedance	50 Ω
Connector	EIA 1 5/8
Feed power handling	4000 W
MTBF	50,000 h
Gain (typical)	> 10 dBi typical
Polarisation	Linear (vertical and horizontal)
<b>Mechanical:</b>	
Dimensions (w x l)	345 mm x 1753 mm
Total mass	7 kg
Mounting method	Mast (60 – 100 mm)
<b>Environmental: designed to meet the following specifications</b>	
Wind survival on mast	160 km/h (calculated)
Temperature (operational)	-30 °C to +70 °C
Water and dust resistance	IP66



## PRODUCT FEATURES:

- High feed power handling of 4 kW
- Low VSWR
- High gain over the band

## APPLICATIONS:

- Wideband monitoring
- High-powered transmissions

## PRODUCT DESCRIPTION:

The LPDA-A0103 is a directional log-periodic dipole array that is primarily designed for high-powered transmit applications. It covers the frequency band of 500 to 1000 MHz at 4000 W of power, with a typical gain of 9 dBi.

The antenna can be adjusted easily for horizontal or vertical polarisation via a swivel mounting bracket on a mast.

# Very High-Power LPDA


500 – 1000 MHz

Product Code: LPDA-A0103


VERSION: 1.4

## VSWR AND GAIN GRAPHS:

### Measured VSWR:



### Measured GAIN:



**AUTHORIZED USA  
DISTRIBUTION BY:**

Cyntony Corporation  
195 Follen Road  
Lexington, Massachusetts  
sales@cyntony.com  
781-430-0675



**GAIN THE  
ADVANTAGE**

# Very High-Power LPDA


500 – 1000 MHz

Product Code: LPDA-A0103


VERSION: 1.4

## RADIATION PATTERNS:


### E-PLANE PATTERN:



### H-PLANE PATTERN:



## DIMENSIONS:



**AUTHORIZED USA DISTRIBUTION BY:**

Cyntony Corporation  
195 Follen Road  
Lexington, Massachusetts  
sales@cyntony.com  
781-430-0675



**GAIN THE ADVANTAGE**